

EAST

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	266	345/83.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:55
S5	3104	(single one) near2 (common adj electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:56
S6	1942	S5 and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:57
S7	292	S6 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:09
S8	12	S6 and OLED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:12
S9	34	S6 and (organic adj electroluminescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:13
S10	6039	(yamazaki near shunpei).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 12:24
S11	783	S10 and (koyama near jun).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 12:24

S12	34	S11 and (inukai near kazutaka).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 12:46
S13	192	(wiring adj line) near3 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:06
S14	72	S13 and organic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 12:53
S15	2	"6738005".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 12:53
S16	717	(power near2 line) near3 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:06
S17	388	(power near2 line?) near3 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:06
S18	129	(S16 S17) and organic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:14
S19	591	(common near2 line) near3 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:14

S20	108	S19 and organic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:14
S22	69	(yamazaki near shunpei).in. and (koyama near jun).in. and (osame near mitsuaki).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 08:23
S23	6	S22 and (Inukai near Kazutaka).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 09:25
S25	52	area near (wiring adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 09:39
S26	19	S25 and organic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 09:39
S27	13	S25 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 13:22
S28	1224	(area near2 line) and organic and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 13:23
S29	114	S28 and "345"/\$.ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 13:29

S31	59	(common near2 area) and organic and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 13:40
S33	15	((common supply) near2 (voltage line wire) near2 area) and organic and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 13:42
S35	1297	345/76.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:05
S36	15	(US-20010015626-\$ or US-20020060518-\$ or US-20030193493-\$ or US-20030197825-\$ or US-20040012058-\$ or US-20040041753-\$ or US-20040070808-\$ or US-20040178978-\$ or US-20020011975-\$).did. or (US-5923119-\$ or US-6046547-\$ or US-6194119-\$ or US-6194837-\$ or US-6825820-\$ or US-6844683-\$). did.	US-PGPUB; USPAT	OR	OFF	2005/09/28 15:35
S38	14	S36 and (area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:50
S39	75	((second common) near (wire wiring line)) near2 (area)) with (greater larger bigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 15:57
S41	8	("5485355" "6157052" "6207969" "6388329" "6404056" "6469318" "6522079" "6548867").PN. OR ("6825820"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/28 16:25

S42	38	((cross?section\$2 adj area)) and organic and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 08:08
S43	15	(US-20010015626-\$ or US-20020011975-\$ or US-20020060518-\$ or US-20030193493-\$ or US-20040012058-\$ or US-20040041753-\$ or US-20040070808-\$ or US-20040178978-\$).did. or (US-5923119-\$ or US-6046547-\$ or US-6194119-\$ or US-6194837-\$ or US-6522079-\$ or US-6825820-\$ or US-6844683-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/09/29 08:07
S44	8	S43 and (cross?section\$2 (cross adj section\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 08:09
S45	5969	(large\$2 big\$4 great\$3) with (cross?section\$2 (cross adj section\$2)) with wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 08:10
S46	3	S45 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 08:14
S47	333	single adj common adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 08:14
S48	33	S47 and organic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 10:43

S49	2157	315/169.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 10:43
S50	807	S49 and organic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 12:06
S51	288	S50 and wiring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 13:12
S54	2	"6359606".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 14:04
S55	12	("4493531" "5378519" "5684365" "5898276" "6091382" "6111357" "6140765" "6359606").PN. OR ("6531815"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 12:13
S56	844	345/82.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 09:42
S57	10	("4493531" "5378519" "5684365" "5898276" "6091382" "6111357" "6140765" "6359606" "6531815").PN. OR ("6690110"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 09:20
S58	9	("20030076046" "6028580" "6040813" "6456013" "6545424" "6690110" "6690117" "6750833" "6784454").PN. OR ("6847343").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 09:34
S59	3031	wiring near area	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 09:34
S60	641	S59 and organic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 09:34

S61	217	S60 and display	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 10:36
S64	3902	wire near area	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 10:37
S65	461	S64 and organic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 10:37
S66	87	S65 and display	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 10:39
S67	3843	(wiring adj line)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 10:39
S69	430	S67 with area	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 10:44
S70	131	S69 and organic and display	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:07
S71	18184	(wire wiring) near2 (dimension dimensions area)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:08
S72	448	((wire wiring) near2 (dimension dimensions area)) near2 ("same" "equal" "constant")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:13
S73	54	S72 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 15:09
S74	1286	((wire wiring line) near2 (dimension dimensions area)) near2 ("same" "equal" "constant")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:22
S75	282	S74 and display	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:13
S76	51	S75 and organic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:13
S77	1528	((wire wiring line) near2 (dimension dimensions area)) near2 (greater bigger larger wider)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:23
S78	185	S77 and display	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:25

S79	44	S78 and organic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:29
S80	2	(common near2 (line wire wiring)) near (greater larger bigger) near ((pixel cell) near2 (line wire wiring))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 16:56
S81	15	("20030086045" "5598285" "5745207" "5805247" "5831701" "5838037" "5946060" "5990987" "6028653" "6040887" "6097454" "6266166" "6281958" "6292245" "6317182").PN. OR ("6876420"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:37
S82	17	((cathode common) near2 (line wire wiring)) with (lesser "less than" smaller) with ((pixel cell anode) near2 (line wire wiring))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:39
S83	58	((cathode common) near2 (line wire wiring)) with (greater larger bigger) with ((anode pixel cell) near2 (line wire wiring))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:46
S84	349	((cathode common) near2 (line wire wiring)) with ("same" "equal" "constant") with ((anode pixel cell) near2 (line wire wiring))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:46
S85	23	((cathode common) near2 (line wire wiring)) near2 ("same" "equal" "constant") near2 ((anode pixel cell) near2 (line wire wiring))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/04 15:46
S86	78	(wiring near2 line) near2 ("same" like equal constant) near2 (size dimension width area)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/04 17:02
S87	19	S86 and organic and display	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/04 16:57
S90	1315	345/76.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 09:42
S91	849	345/82.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 09:42

S92	68	S90 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:43
S93	39	S92 and area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 09:55
S94	59	S92 and (organic OLED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 09:55
S95	944	(S90 S91) and (organic OLED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:44
S96	240720	seiko.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:44
S97	871	S95 and (not S96)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:52
S98	407	S97 and width	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 12:18
S99	525	S97 and area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:56

S10 0	348	(S90 S91) and (((large\$3 bigger biggest) near2 (area\$1 width\$3)) wider widest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 12:20
S10 1	1315	345/76.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 09:27
S10 2	849	345/82.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 09:27
S10 3	944	(S101 S102) and (organic OLED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 09:27
S10 4	73	S103 and seiko.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:02
S10 5	9008	(organic OLED) and seiko.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:03
S10 6	4091	S105 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:04
S10 7	15482	(organic OLED) near2 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:25
S10 9	544	S107 and seiko.asn.	US-PGPUB; USPAT	OR	OFF	2005/10/12 16:23
S11 0	306	S109 and wiring	US-PGPUB; USPAT	OR	OFF	2005/10/12 16:24

S11 1	7098	(organic OLED) near2 display	US-PGPUB; USPAT	OR	OFF	2005/10/12 16:25
S11 2	8562	(organic OLED) near3 display	US-PGPUB; USPAT	OR	OFF	2005/10/12 16:26
S11 3	637	S112 and seiko.asn.	US-PGPUB; USPAT	OR	OFF	2005/10/12 16:31
S11 4	93	S113 and (not S109)	US-PGPUB; USPAT	OR	OFF	2005/10/12 16:31
S11 5	2	("20020011976").PN. OR ("6788278").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 09:09
S11 6	14	("4493531" "5378519" "5684365" "5898276" "6091382" "6111357" "6140765" "6359606" "6531815").PN. OR ("6531815" "6690110").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 09:12
S11 7	2	("20020011976").PN. OR ("6788278").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 09:12
S11 8	4	("5952789" "6307681" "6424326" "6501226").PN. OR ("6947019"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 09:12
S11 9	11	("20030122495" "6290352" "6304670" "6312771" "6323596" "6341862" "6342321" "6364450" "6386700" "6394578" "6646375").PN. OR ("6815903"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 09:19